

GOVERNMENT OF NAIROBI CITY COUNTY



THE NAIROBI CITY COUNTY ASSEMBLY

THIRD ASSEMBLY *

(SECOND SESSION)



REQUEST FOR STATEMENTS

Hon. Speaker,

Pursuant to Standing Order 47(2) (c), I wish to request for a statement from the Chairperson of the Sectoral Committee on Water and Sanitation regarding abandoned construction of sewer system by Athi Water in Kahawa West Ward.

Hon. Speaker, the Athi Water Board started a project to construct sewer system within Kahawa West Ward but abandoned the site before it was completed. This has left various roads in the Ward in dilapidated state with open manholes posing danger to the residents.

In addition, residents have raised various complaints such as increased cases of accidents leading to loss of lives, property destruction due to poor drainage and increased cases of water borne diseases due to stagnation of water in the potholes and open manholes.

Hon. Speaker, in the Statement, the Chairperson should inquire into and report on: -

- i. Reasons for the abandonment of the construction of sewer system in Kahawa West Ward; and
- ii. Measures the County Executive is taking to ensure the project is completed within the shortest time possible to alleviate the suffering of the residents of Kahawa West Ward.

Ngang'a 12/09/2023

Hon. Dr. Clement Ng'ang'a Kamaru, MCA.
Member for Kahawa West Ward.
Nairobi City County Assembly.

Statement requested by Hon. Ngang'a on 12/9/2023.

Response due in 14 days.

*Clare
12/9/2023*