

Statement requested  
on 17/09/24  
Due in 14 days



THE NAIROBI CITY COUNTY ASSEMBLY

THIRD ASSEMBLY

(THIRD SESSION)

*[Handwritten signature]*  
12/09/2024.

## REQUEST FOR STATEMENTS

**Subject: Illegal public service vehicle termini at Caltex Petrol Station and Naivas Supermarket in Upper Savanna Ward. Road**

Hon. Speaker,

Pursuant to Standing Order 47(2) (c), I wish to request for a Statement from the Chairperson of the Sectoral Committee on Roads, Transport and Public Works regarding the illegal public service vehicle termini in in the County in Upper Savanna Ward.

Hon. Speaker, the County is responsible for the management County transport including the County roads and designation of picking and dropping areas on County roads as provided for in paragraph 5 of Part 2 of the Fourth Schedule of the Constitution of Kenya 2010.

Hon. Speaker, most motorists plying the Outering Road are undergoing undue suffering due to blockage of the Road by Public Service Vehicles who have created illegal bus termini at Caltex Petrol Station and Naivas Supermarket in Donhlom. These illegal termini have resulted to unnecessary traffic congestion in the area. This is a violation of the provisions of Section 27 of the Nairobi City County Transport Act, 2020 on use of designated picking and dropping areas for public service vehicles.

Hon. Speaker, in the Statement, the Chairperson should inquire into and report on: -

1. Whether there are traffic marshals deployed by the County Executive at the said area;
2. Whether the County has specific well marked designated public service vehicle termini Caltex Petrol Station and Naivas Supermarket in Upper Savanna Ward; and
3. Measures the County Executive is taking to ensure all the illegal picking and dropping areas along Outering Road specially at Caltex Petrol Station and Naivas Supermarket in Upper Savanna Ward.

*[Handwritten signature]*

HON. STAZO OMUNG'ALLA, MCA  
DEPUTY MAJORITY WHIP  
MEMBER FOR UPPER SAVANNA WARD  
NAIROBI CITY COUNTY ASSEMBLY

Date

12/9/24