Nairobi City County Assembly invites bids for procurement of 40 feet container for Nairobi South Ward Office. The invitation to quote is restricted to prequalified suppliers of Nairobi County Assembly for the year 2018/2020 under category NCCASB/PQ/27B/2018-2020 (Provision of minor Engineering Works and Renovations)

REPUBLIC OF KENYA REQUEST FOR QUOTATION QUOTATION NUMBER NCCA/Q/61/04/2018/2019

COMPANY N	NAME AND ADRESS:	Buyer's designation and ac	ddress: Nairobi City County Assembly
	•••••••••••••••••••••••••••••••••••••••		Box 45844-00100 Nrb Date.3/04/2019
	ed to submit quotation on items listed below	:	
on rev b) This marke supply or be 12:30	IS NOT AN ORDER. Read the conditions and verse before quoting quotation submitted in a plain wax sealed "Quotation No. NCCA/Q/61/03/20" y of: AS SHOWN BELOW and address to read placed in the quotation Tender Box no pm on 9th April, 2019 for the; Supply and conversion of 40 feet conversion of 40 feet conversion.	quotation should included envelope and sales tax 18/2019 For d) Return all the original reference.	buld indicate final unit price which ude all costs for delivery, discount, duty I copy and retain the duplicate for you ne attached Bill of Quantity (BQ).
FOR OFFICIA	al use only:		
Opened by;	(1)	Designation	Signature
	(2)	Designation	Signature
	(3)	Designation	Signature
		Date	Time
		Sellers signature and Stamp	

CONDITIONS

- 1. The general conditions of contract with the Government of Kenya apply to this transaction. This form properly submitted constitutes the entire agreement.
- 2. The offer shall remain firm for 30 days from the closing date unless otherwise stipulated by the seller.
- 3. The buyer shall not be bound to accept the lowest or any other offer, and reserved the right to accept any offer in part unless the contrary is stipulated by the seller.
- 4. Samples of offer when required will be provided free, and if not destroyed during test will, upon request, be returned at the sellers' expenses.

INSTRUCTIONS

- 1. All entries must be typed or written in ink. Mistakes must not be erased but should be crossed and corrections be made and initiated by the person signing the quotation.
- 2. Quote on each item separately, and in units as specified.
- 3. This form must be signed by a competent person and preferably it should be rubber stamped.
- 4. Each quotation should be submitted separately in a sealed envelope with the Quotation Number endorsed on the outside.
- 5. If you do not wish to quote, please state the reason on this form and return it, otherwise your name may be deleted from the buyer's mailing list for the items listed hereon.

GPK(L)

		Qty	Unit	Rate	Amt (Kshs.)
	PROPOSED CONVERSION OF 1NO. 40 FEET CONTAINER				
	INTO WARD OFFICES FOR THE NAIROBI CITY COUNTY				
	<u>ASSEMMBLY</u>				
	CONTAINER BASE				
A	Allow for preparing ground and provision for container base				
	in 200mm thick stone dwarf walling; 300mm thick hardcore				
	filling; murram blinding to top and 100mm thick ground slab				
	including A142 BRC mesh reinforcement approximately size				
	12200 x 2440 x 450mm high	1	no		
	STEEL CONTAINER				
В	Supply and place on prepared base (m/s) approved standard				
	cappi, and place on propared base (iii, s) approved standard				
	container overall size 12200 x 2440 x 2400mm high	1	no		
ر	Extra over steel container for cutting window openings				
	overall size 1200 x 1000mm high	5	no		
	_				
D	Ditto cutting door opening size 900 x 2000mm high	2	no		
	Prepare and apply one undercoat and two finishing coats of				
	"Crown" or other equal and approved plastic gloss metal				
	paint including branding in NCC logo in corporate colours				
	<u>to:</u>				
Е	General metal surfaces	170	sm		
	PARTITIONS				
	In mild steel, all welds ground smooth				
F	40 x 40 x 3mm thick frame	66	lm		
٥	28 gauge mild steel sheet panels welded or rivetted to steel				
	frame with red lead oxide primer and 3 coats gloss metal				
	paint after fabrication	16	sm		
	Prepare and apply one undercoat and two finishing coats of				
	"Crown" or other equal and approved plastic gloss metal				
	paint to:				
Н	General metal surfaces	40	sm		
''	Octional metal surfaces	70	3111		
	Carried to collection				
	l l				l l

		Qty	Unit	Rate	Amt (Kshs.)
	<u>DOORS</u>				
	Steel casement doors				
	In mild steel, all welds ground smooth				
A	Semi-glazed-semi steel panelled door overall size 900 x 2000mm high, comprising of 6no. 300 x 450mm high glazed panels and 6no. 300 x 450mm high mild steel panels, all fitted to 38 x 38 x 4mm thick square hollow section frames including all necessary ironmongery and 3 coats gloss metal paint after fabrication	4	no		
	Prepare and apply one undercoat and two finishing coats of "Crown" or other equal and approved plastic gloss metal paint to:				
В	General metal surfaces	15	sm		
	WINDOWS				
	Steel casement windows				
	Steel casement windows in 3mm thick sections; all welds ground smooth (As per architect's details)				
	Supply and fix the following purpose made Steel Casement windows in standard Z-Sections complete with lugs, hinges, approved imported brass window stays and handles, with built-in permanent vents at top all primed with red lead oxide and 3 coats gloss metal paint after fabrication after fabrication				
С	1200 x 1000mm high window complete with a permanent vent	5	no		
	Glazing				
D	5mm thick clear sheet glass glazed with putty to metal in				
	panes exceeding 0.10 but not exceeding 0.50 square metres	6	sm		
	Prepare and apply one undercoat and two finishing coats of "Crown" or other equal and approved plastic gloss metal paint to:				
Е	General metal surfaces	12	sm		
	Carried to collection				

		Qty	Unit	Rate	Amt (Kshs.)
	FALSE ROOF				
	In mild steel, all welds ground smooth				
А	$40 \times 40 \times 3$ mm thick rafters, ties and struts (in 5no. Light trusses)	86	lm		
В	100 x 25 x 3mm "Z" purlins	86	lm		
	Roof covering				
	Gauge 28 pre-painted IT4 profile sheets fixed to purlins (m/s) with and including weathered rust proof screw bolts 75mm long with plastic cap laid with 150mm side and end laps as supplied by "Mabati Rolling Mills" or other equal and approved				
c	Sheet covering to pitched roof	48	sm		
D	Ditto to gable end infills	3	sm		
Е	Extra over ditto for ridge cap	13	lm		
	Rain water goods				
F	28 gauge 150 x 100mm U-shaped pre-painted gutter fixed to fascia board with and including approved brackets	26	lm		
G	Extra over ditto for 100mm diameter down pipe outlet	4	no		
Н	Extra over gutters stopped ends	4	no		
1	Make 100mm diameter hole in gutter	4	no		
	26 gauage pre-painted mild steel sheet in:				
J	100mm diameter down pipe fixed to wall with and including approved holderbats	10	lm		
K	Extra over ditto for swan neck	4	no		
L	Ditto horse shoe	4	no		
	Carried to collection				
	COLLECTION				
	Brought forward from page MW/1 Brought forward from page MW/2 Brought forward from above				
	BILL NO. 1 TOTAL CARRIED TO BUILDER'S WORK GRAND SUMMARY				

	BILL NO. 2	Amt (Kshs.)
	<u>PROVISIONAL SUMS</u>	
Α	Allow a Provisional Sum of Kenya Shillings Seventy Five Thousands only (Kshs 75,000/=) for Electrical Installations (Wiring, conduiting and electrical fittings)	75,000.00
В	Allow a Provisional Sum of Kenya Shillings Thirty Five Thousands only (Kshs 35,000/=) for Directional Sign Board to the MCA offices	35,000.00
	Allow a Provisional Sum of Kenya Shillings Fifty Thousands only (Kshs 50,000/=) for Contract Admnistration (Monitoring and Evaluating from technical staff)	50,000.00
D	Allow a Provisional Sum of Kenya Shillings Seventy Five Thousands only (Kshs 75,000/=) for Contingencies	75,000.00
	PROVISIONAL TOTAL CARRIED SUMS TO GRAND SUMMARY	

			Amt (Kshs.)
	ED CONVERSION OF INO. 40 FEET COL		
OFFICES	FOR THE NAIROBI CITY COUNTY ASSE	WWRLA	
CONVER	SION OF 1NO. 40 FEET CONTAINER		
30			
			
GRAND	<u>SUMMARY</u>		
<u>ITEM</u>	<u>PARTICULARS</u>	<u>PAGE NO</u>	
1.	PRELIMINARIES	PP/10	
1.	FRELIMINARIES	FF/10	
2. BIL	l no. 1 - builder's work	MW/3	
3. BIL	L NO. 2 - PRIME COST AND		
J. DIL	PROVISIONAL SUMS	PC/1	
		, .	
		sub-total	
		ADD:-	
		4404 \ \ \ \ \	
		16% V.A.T.	
	GRAND TOTAL CARRI	ED TO FORM OF TENDER	
	ACTOR		
	5		
SIGNATU	JRE		
\\ <i>!\</i> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
WITNESS NAME			
	5		
DATE			
SIGNATU	JRE		